

HUCOP Clinical Pharmacy Rounds:

Management of Transfusion-Induced Iron Overload

Date: 10/14/2015

Time: 12:00 - 1:00 PM

Continuing Pharmacy Education Program
College of Pharmacy, Howard University
2300 4th Street, NW — CCH 207
Washington, DC 20059

<u>Who should attend:</u> The program is designed for inpatient and outpatient pharmacists caring for patients in various settings.

Needs Statement: To enhance knowledge of the management of transfusion-induced iron overload

Statement of Goal:. To enhance knowledge of the management of transfusion-induced iron overload

Activity Type: Knowledge

Objectives: After completing the program, participants should be able to:

- Discuss the pathophysiology and epidemiology of transfusion-induced iron overload
- 2. Recognize the common disease states that contribute to higher risk of iron overload
- Demonstrate a sound understanding of the clinical presentation components of iron overload
- 4. Identify pharmacological and non-pharmacological management options
- 5. Apply the principles of pharmacokinetics and route of administration for appropriately recommending iron chelators to enhance their effectiveness and increase patient compliance

Faculty

Porscha L. Johnson, Pharm.D.
Critical Care/Oncology Clinical Pharmacy Fellow
Howard University
Washington DC 20059

Fee: N/A

® Howard University College of Pharmacy, (COP) is accredited by the Accreditation Council for Pharmacy Education (ACPE) as a provider of continuing pharmacy education. This program meets ACPE criteria for one contact hour (o.1 CEU). Credit will be awarded through the CPE Monitor, within 3–4 weeks of the seminar to those who successfully complete the program. Using the following URL: https://hurxce.learningexpressce.com/index.cfm, the evaluation form and a score ≥ 70% correct on post-test questions will be required for successful completion. The ACPE Universal Program number assigned to this program is 0010-0000-15-019-L01-P.